

INDEX MAPS.

T.16N R.5W 2nd Mer.

308												
310	6	333	5	328	4	324	3	319	2	315	1	306
	335	333		328		324		319		314		
310	7	332	8	328	9	323	10	319	11	314	12	306
	335	331		327		323		318		313		
309	18	331	17	327	16	323	15	318	14	313	13	306
	334	331		327		322		317		313		
309	19	330	20	326	21	322	22	317	23	312	24	305
	334	330		326		321		316		312		
309	30	330	29	325	28	321	27	316	26	311	25	305
	333	329		325		320		316		311		
309	31	329	32	325	33	320	34	315	35	311	36	305
	307	307		307		303		303		303		

T.1N R.6W 2nd Mer.

	364	364	363	363	362	362						
367	6	389	5	383	4	379	3	375	2	371	1	362
	388	388	382	379	374	371						
366	7	388	8	382	9	378	10	374	11	370	12	361
	387	387	382	378	374	370						
366	18	386	17	381	16	377	15	373	14	369	13	361
	386	386	381	377	373	369						
365	19	385	20	380	21	377	22	373	23	369	24	360
	385	384	380	376	372	368						
365	30	384	29	380	28	376	27	372	26	368	25	360
	384	383	380	376	372	368						
364	31	383	32	379	33	375	34	371	35	367	36	359
	359	358	358	358	357	357						

Meandering... 389

The figures on the lines refer to the page.

Township N 16. North. Range N. 5 West of the 2nd Mer. Ind^a
Ch. Lk.

South Boundary.

v. 6. 10.

West On the South Boundary of Sec. 36. T. 16. S. R. 5. W.
6. 00 To a Brook 8 links wide course N.
40 00 Set a post for the cor. of 1/4 Sec. from which a
Beck 15 in diam. bears S. 65. W. 2 links dist. to
No 14. " " " N 10. E. 14. " "
46. 00 To a Brook 10 links wide, course N.
78. 00 " " No 5. " " " " "
80. 00 Set a post for the cor. of Sec. 35. & 36. from which a
Sugar 10 in diam. bears S. 26. W. 7 links dist. to
Beck 9. " " " N 25. W. 30. " "
Land rolling & 3rd notes Timber. Beck, Sugar, Oak,
Hickory &c. Land good for farming July 16. 1819.

West On the South Boundary of Sec. 35. T. 16. S. R. 5. W.
40. 00 To a Brook 10 links wide course N.
40. 00 Set a post for the cor. of 1/4 Sec. from which a
Beck 10 in diam. bears N. 7. E. 18 links dist. to
Beck 9. " " " S. 11. W. 10. " "
80. 00 Set a post for the cor. of Sec. 34. & 35. T. 16. S. R. 5. W.
from which a Beck 27 in diam. bears S. 35. E. 8 links dist. to
No 11. " " " N 3. E. 27. " "
Land & Timber same as in the last mile

West On the South Boundary of Sec. 34. T. 16. S. R. 5. W.
16. 00 To a Brook 8 links wide course N. W.
22. 00 " " No 10. " " " " "
40. 00 Set a post for the cor. of 1/4 Sec. from which a
Beck 4 in diam. bears N. 17. E. 13 links dist. to
No 9. " " " S. 10. E. 26. " "
80. 00 Set a post for the cor. of Sec. 33. & 34. from which a
W. Oak 12 in diam. bears East 7 links dist. to
Sugar 7. " " " S. 54. W. 15. " "

T. 16. N. R. 5. W. 2nd Mer Ind.

Land same as in the last mile.

- West On the South Boundary of Sec. 33. T. 16. N. R. 5. W.
 8. 00 To a Brook 15. links wide; Course N.
 32. 00 " " N. 3. " " " N.
 — 00 " " N. 3. " " " N.
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 18. in diam. bears S. 83. W. 6. links dist. &
 N. 12. " " " N. 64. E. 52. " "
 — 5 50 To a Brook 8. links wide; Course N.
 * 79. 00 " " Brook 150. " " " S. W.
 80 00 Set a post for the cor. of Sec. 32. & 33. in a brook from
 which an Elm 10. in diam. bears S. 88. E. 109. links dist. &
 Elm 9. " " " West 112. " "
 * 10 50 To a Brook 8 links wide; Course N.

- West On the South Bound. of Sec. 32. T. 16. N. R. 5. W.
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 12. in diam. bears N. 64. W. 8 links dist. &
 Poplar 27. " " " S. 79. E. 30. " "
 63. 50 To a Brook 15. links wide; Course South,
 80 00 Set a post for the cor. of Sec. 31. & 32. from which a
 Sugar 9. in diam. bears S. 25. E. 7. links dist. &
 N. 8. " " " N. 17. W. 16. " "
 Land, rather broken & hilly. Timber same as in the last mile

- West On the South Boundary of Sec. 31. T. 16. N. R. 5. W.
 40 00 Set a post for the cor. of 1/4 Sec. from which a
 White Oak 30. in diam. bears N. 81. E. 11. links dist. &
 Buckeye 8. " " " N. 71. W. 20. " "
 55. 00 To a Brook 150. links wide Course N. E.
 71. 64 Intersect the Range line 239. links North of the temp.
 Township Cor. & set a post from which an

T. N 16. N R. N 5. W. 2nd Mer. Ind.

Elm 14. in diam. bears S. 58. E. 25. links dist. S.

Sugar 15. " " " N 10 W. 7. " "

Land part same as last mile & part North bottom.

East Boundary

T. 6. 25.

North On the East Boundary of Sec. 36. T. 16. N R. 5 W.

16.00 To a Brook 10. links wide; course W.

40.00 Get a post for the cor. of 1/4 Sec from which a
Buck 27. in diam. bears S. 9. W. 20. links dist. S.
No 30. " " " N 43. E. 30. " "

80.00 Get a post for the cor. of Sec. 25. & 36. from which a
B. Walnut 12. in diam. bears S. 48. E. 18. links dist. S.
Hickory 9. " " " N. 14. W. 32. " "
Land a little rolling. and good for farming timber same

North On the East Boundary of Sec. 25. T. 16. N R. 5 W.

40.00 To a Brook 60. links wide; course W.

40.00 Get a post for the cor. of 1/4 Sec from which a
Sugar 6. in diam. bears S. 73. W. 33 links dist. S.
Elm 10. " " " S. 9. W. 45. " "

54.00 To a Spring Branch 3 links wide; course N. E.

80.00 Get a post for the cor. of Sec. 24. & 25. from which a
Buck 12. in diam. bears S. 21. E. 19. links dist. S.
No 9. " " " N. 40. W. 5. " "
Land rich & good for farming a part rich bottom

North On the East Boundary of Sec. 24. T. 16. N R. 5 W.

40.00 Made the cor. for the 1/4 Sec. on an Elm 8. in diam. from
which a Buck 12. in diam. bears N 85. E. 23. lks. dist.

80.00 Get a post for the cor. of Sec. 13. & 24. from which a
Sugar 14. in diam. bears S. 50. E. 6. links dist. S.
No 18. " " " N 84. W. 18. " "

Land a little rolling. & good for farming timber same.

T. N 16. S. R. N 5. W. 2nd Mer. Sect.

North On the East Boundary of Sec. 13 T. 16. S. R. 5. W.
 40.00 Made the 1/4 Sec. point on a Hickory 10. in diam?
 80.00 Made the cor. of Sec. 12. & 13. on a Sugar 9. in diam.*
 Gang level & separate spot rather wet, good for farming,
 *from which a Hickory 12 in diam? bears S. 24 E. 22 lks. dist.

North On the East Boundary of Sec. 12 T. 16. S. R. 5. W.

5.00 To a Brook 10. links wide; course N.

40.00 Get a spot for the cor. of 1/4 Sec. from which a
 Gynm 14 in diam? bears South 16. lks. dist. to
 Sugar 9. " " " N 23. W. 17. " "

63.00 To an excellent Spring

76.00 " a Brook 150. links wide; course S. W.

80.00 Get a spot for the cor. of Sec. 1. & 12. from which a
 Hickory 14 in diam? bears S. 62. W. 14 links dist. to
 S. 8. " " " N 75. E. 26. " "
 Land rich & good for farming timber same as before.

North On the East Boundary of Sec. 1. T. 16. S. R. 5. W.

23.00 To a Brook 20. links wide; course E.

40.00 Get a spot for the cor. of 1/4 Sec. from which a
 Beech 9. in diam? bears S. 6. W. 16. links dist. to
 Sugar 18. " " " N. 23. W. 32. " "

43.00 To a Brook 10. links wide; course E.

75.00 " " S. 8 " " " E

80.00 Get a temp^o spot for the cor. of T. 16. S. R. 5. W.

Land & timber similar to the last mile

80. M Intersected Correction line 27,90 lks. E. of Cor. Sect. 31, 32, T. 16. S. R. 5. W.
 See page 308

North Boundary

West On the South of Sec. 32. T. 17. S. R. 4. W.

40.00 Get a spot for the cor. of 1/4 Sec. from which a
 Hickory 9. in diam? bears N. 61. E. 19. links dist. to
 Gynm 14. " " " S. 52. W. 11. " "

46.00 To a Brook 10. links wide; course S. W.

T. N. 16. N. R. N. 5 W. 2nd Mer. Ind. a

80 00 Set a post for the cor. of Sec. 31. & 36. from which a
 Poplar 12. in diam. bears N 66. E. 18. links dist. S
 S. 12. " " " S. 81. W. 25. " "
 Land & timber same as in the last mile

West. On the South Boundary of Sec. 36. T. 17. N. R. 5. W.

22. 00 To a Brook 12. links wide; course S. var. 6. 40.

40 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 12. in diam. bears S. 2. W. 4. links dist. S
 S. 10. " " " N 2. E. 17. " "

80 00 Set a post for the cor. of Sec. 35 & 36. from which a
 Buck 14. in diam. bears N. 70. E. 23. links dist. S
 S. 10. " " " S. 31. W. 14. " "
 Land & timber same. Post rather broken. Post rather wet.

West On the South Boundary of Sec. 35. T. 17. N. R. 5 W.

40 00 Set a post for the cor. of 1/4 Sec. from which a
 Ash 9. in diam. bears N 63. E. 6. links dist. S
 Sugar 9. " " " S. 22. W. 16. " "

80 00 Set a post for the cor. of Sec. 34. & 35. from which a
 Buck 9. in diam. bears S. 29. W. 16. links dist. S
 N. Ash 6. " " " N 72. E. 24. " "
 Land level & good for growing Timber, Oak Buck Ash &c

West On the South Boundary of Sec. 34. T. 17. N. R. 5 W.

13. 00 To a Brook 6. links wide; course S. W.

40 00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 14. in diam. bears N. 78. E. 18. links dist. S
 S. 10. " " " N 57. W. 11. " "

76 50 To a Brook 20. links wide; course S.

80 00 Set a post for the cor. of Sec. 33. & 34. from which a
 Buckeye 4 in diam. bears N. 7. W. 12. links dist. S
 Sugar 30. " " " S. 40. W. 13. " "

T. 16. N. R. 5. W. 2nd Mer. Ind.^a

Land level & rich good for farming Timber some; some Walnut, &c.

West On the North Boundary of Sec. 33. T. 17. N. R. 5 W.

40.00 Set a post for the cor. of 1/4 Sec. from which a
Sugar 12 in diam. bears N 60. E. 2. links dist. to
Buck 12. " " " S. 62 W. 23. " "

80.00 Set a post for the cor. of Sec. 32. & 33. from which a

Buck 30 in diam. bears S. 32 E. 8. links dist. to

Sugar 14 " " " N 42 W. 35. " "

Land 1st rate for farming Timber. Buck. Sugar.

Walnut. Ash. &c.

West On the North Boundary of Sec. 32. T. 17. N. R. 5 W.

5.00 To a Buck 15 links wide; Course S.

19.00 " " " " " " " S.

40.00 Set a post for the cor. of 1/4 Sec. from which a

Sugar 9 in diam. bears N. 27. W. 6. links dist. to

Buck 20. " " " S. 12 E. 39. " "

52.10 Intersect the Range line 11 links North of the temp^y

Township cor. Set a post for the cor. of T. 16. N.

from which a Buck 30 in diam. bears S. 5 W. 25. links dist.
and a W. Ash 8. " " " N. 35. E. 25. " "

80.00 Set a post for the cor. of Sec. 31. & 32. T. 17. N. R. 5 W.

from which a Hickory 12 in diam. bears S. 77. E. 29. links dist.

and a W. Ash 24. " " " N. 98. W. 33. " "

West On the South Boundary of Sec. 31. T. 17. S. R. 5 W.

40.00 Set a post for the cor. of 1/4 Sec. from which a

Buck 9 in diam. bears N 60. E. 12. links dist. to

Sugar 12. " " " S. 52. W. 40. " "

80.00 Set a post for the cor. of T. 17. S. R. 5. & 6. W. from which a

Buck 18 in diam. bears N. 40. E. 26. links dist. to

Sugar 12. " " " S. 15. W. 35. " " End of N. Boundary.

ch. lks.

West Boundary var. 6° 30' E.

North On E. boundary of Sec. 36, T6 N. R6 W

12.50 a Creek 150 lks. wide Course W.

40.00 Set q. Sec. post, from which

a Beech 10 in. diam. bray S 11 E 13 lks. dist. &

a Sugar 12 " " " N 63 W 20 " "

80.00 Set post Cor. to Sec. 25 & 36, T6 N. R6 W, from which

a Beech 12 in. diam. bray S 6 E 57 lks. dist. &

a W. Ash 12 " " " N 32 E 23 " "

Land a little rolling, Walnut, Ash, Sugar, Beech
Poplar, good farming land.

North On E. boundary of Sec. 25, T6 N. R6 W

27.00 a Brook 3 lks. wide Course E.

40.00 Set q. Sec. post, from which

a Sugar 11 in. diam. bray N 80 E 9 lks. dist. &

a Do. 24 " " " West 8 " "

80.00 Set post Cor. to Sec. 24 & 25, T6 N. R6 W, from which

a W. Walnut 6 in. diam. bray S 42 E 15 lks. dist. &

a Sugar 12 " " " N 88 W 14 " "

Land similar very rich & good for farming.

North On E. boundary of Sec. 24, T6 N. R6 W

40.00 Set q. Sec. post, from which

a Beech 15 in. diam. bray N 77 E 40 lks. dist. &

a Hickory 24 " " " S 7 W 22 " "

80.00 Set post Cor. to Sec. 13 & 24, T6 N. R6 W, from which

a Beech 24 in. diam. bray S 8 W 45 lks. dist. &

a Sugar 18 " " " N 60 E 28 " "

Land timber &c. same as on the last mile

North On E. boundary of Sec. 13, T6 N. R6 W

31.00 a Brook 8 lks. wide Course W.

T16 N. R5 W, 2^d Mer. Indiana

Ch. lks.

- 40.00 Set q. Sec. post, from which
a Sugar 8 in. diam. beam 20 E 22 lks. dist. of
a Do. 9 " " " N-W 16 " "
- 50.00 a Brook 12 lks. wide Course W.
- 75.00 a Do 6 " " " W.
- 80.00 Set post Cor. to Sec. 12 of 13, T16 N. R6 W, from which
a Sugar 12 in. diam. beam 16 W 43 lks. dist. of
a Beech 10 " " " North 3 " "
- Land timber &c. Same as on the last mile

North On E. boundary of Sec. 12, T16 N. R6 W

- 18.00 a Creek 20 lks. wide Course W.
- 40.00 Set q. Sec. post, from which
a W. Oak 12 in. diam. beam 38 W 16 lks. dist. of
a Sugar 15 " " " N 9 E " "
- 46.00 a Creek 20 lks. wide Course W.
- 55.00 a Do. 20 " " " W.
- 80.00 Set post Cor. to Sec. 1 of 12, T16 N. R6 W, from which
a Sugar 27 in. dia. beam 32 W 15 lks. dist. of
a Do. 18 " " " N 5 W 29 " "
- Beautiful rich land excellent for farming
part rolling & part level. July 17th 1849

North On E. boundary of Sec. 1, T16 N. R6 W

- 40.00 Set q. Sec. post, from which
a Beech 12 in. diam. beam 7 W 44 lks. dist. of
a Sugar 5 " " " N 33 E 8 " "
- 80.11 Intersected the Correction line 27.90 lks. E. of Cor.
to Sec. 31 of 32, T17 N. R5 W. Set post Cor. to ~~Sec. 1~~
T. 16 N. Ranges 5 & 6 W, from which
a Beech 30 in. diam beam 5 W 25 lks. dist. of
a W. Oak 8 " " " N 35 E 25 " "
- South 1/2 Same, North 1/2 Not good farming land.

~~Ch. 17~~

Subdivision.

North Between Sec. 35 & 36

2.00 a Springbranch 6 lks. wide Course N.W.

15.25 a Brook 4 lks. wide Course N.E.

26.00 a Do. 4 " " " N.W.

40.00 Let q. Sec. post, from which

a Beech 16 in. diam. - bear S 34 E 28 lks. dist. of

a C. Oak 15 " " " North 9 " "

62.15 a B. Walnut 24 " "

71.50 a Brook 5 lks. wide Course S.E.

80.00 Let post Cor. to Sec. 25, 26, 35 & 36, from which

an Ash 12 in. diam. - bear N 40 E 16 lks. dist. of

a Gum 7 " " " S 14 W 13 " "

First half mile Sand hilly & broken 2nd rate 2nd

half mile same, timber Beech, Sugar, W. Oak &c

undergth Spice &c.

East On Rand^m. between Sec. 25 & 36

21.75 a Brook 7 lks. wide Course N.W.

40.00 Let temp. q. Sec. post

45.00 a Springbranch Course N.W.

80.50 Intersected the E. boundary 10 lks. S. of post

Sand hilly & broken, timber, Beech, Sugar, W.

Oak &c. undergth Spice &c

West Corrected between Sec. 25 & 36

40.25 Let q. Sec. post at average dist. from which

a Gum 12 in. diam. - bear N 71 W 17 lks. dist. of

a Hickory 7 " " " N 89 E 22 " "

80.50 to Sec. Corner.

North Between Sec. 25 & 26

15.00 a Hickory 10 in. diam.

T6 N R5 W, 2^d. Mer. Indiana

Ch. Lk.

40.00 Let q^r. Sec. post, from which
an Elm 10 in. diam. bear N26E60k. dist. of
a Sugar 16 " " " S9W21 " "

62.00 a stream 100 k. wide Course S.W.

64.30 an Elm 15 in. diam.

80.00 Let post Cor. to Sec. 23, 24, 25 & 26, from which
a Hickory 12 in. diam. bear S8W40k. dist. of
a Sugar 24 " " " N70W34 " "
First 1/2 mile rolling & broken 2^d rate - 2^d 1/2
mile part bottom 1st rate, timber Beech,
Sugar, Poplar &c. undergth Spruce &c.

East On Rand^m between Sec. 24 & 25

40.00 Let temp. q^r. Sec. post

80.50 Intersected the N & S. line 6 k. S. of post
Land part level & part broken, timber
Beech, Sugar, Poplar, W. Oak &c. undergth Spruce

West Corrected between Sec. 24 & 25

40.25 Let q^r. Sec. post, from which

a W. Oak 24 in. diam. bear S34W18k. dist. of
a Beech 12 " " " N68E5 " "

80.50 to Sec. Corner

North Between Sec. 23 & 24

7.50 a Sugar 15 in. diam.

24.00 a branch 3 k. wide Course S.W.

40.00 Let q^r. Sec. post, from which

a Red Oak 10 in. diam. bear S21E30k. dist. of
a Buckeye 12 " " " S64E28 " "

71.80 a Sugar 30 " "

80.00 Let post Cor. to Sec. 13, 14, 23 & 24 from which
a Beech 12 in. diam. bear N10W8k. dist. of

T6N R5W, 2^d Mer. Indiana

313

Ch. lkr.

a Sugar 15 in. diam. bear S60W 20 lkr. dist. of
First 1/2 mile rolling 2^d rate, timber 1 Beech
Sugar, W. Oak &c. undergth Spice &c.

East On Rand^m between Sec. 13 & 24

40.00 Set temp^y g^r. Sec. post

79.10 Intersected the E. boundary 12 lkr. S. of post
First 1/2 mile land level & rock 2^d half level & dry
timber 1 Beech, Sugar, W. Oak &c. undergth Spice

West Connected between Sec. 13 & 24

39.55 Set g^r. Sec. post at average dist. from which
a Hickory 24 in. diam. bear N45E 14 lkr. dist. of
a Buckeye 12 " " " N44E 10 " "

79.10 to Sec. Corner.

North Between Sec. 13 & 14

28.00 a Sugar 20 in. diam.

40.00 Set g^r. Sec. post, from which
a Sugar 24 in. diam. bear N61W 13 lkr. dist. of
a Hickory 5 " " " N24E 10 " "

57.50 a Brook 7 lkr. wide Course S.W.

61.50 a Stream 10 lkr. " " " S.W.

75.00 a B. Walnut 24 in. diam.

80.00 Set post, Cor. to Sec. 11, 12, 13 & 14, from which
an Elm 10 in. diam. bear S68W 13 lkr. dist. of
a Sugar 15 " " " N30W 33 " "
First 1/2 mile rolling 2^d rate 2^d half mile
level & rich 1st rate, timber 1 Beech, Sugar
B. Walnut &c. undergth Spice.

East On Rand^m between Sec. 12 & 13

1.60 a Stream 10 lkr. wide Course S.W.

West R5 N. 2^d Mer. Indiana

Ch. Lk.

40.00 Set temp. q. Sec. post

79.24 Intersected the E. boundary at post
 Land rolling good 2^d. rate, timber Beech,
 B. W. Walnut, Sugar &c. underg. th Spice

West Connected between Sec. 12 & 13

39.62 Set q. Sec. post at average dist. from which
 an Elm 20 in. diam. bear N 64 W 9 lks. dist. &
 a Sugar 8 " " " S 61 E 21 " "

79.24 to Sec. Corner

North Between Sec. 11 & 12

12.00 a Stream 100 lks. wide Course S. E.

17.50 a Cherry 18 in. dia.

18.00 a Stream 100 lks. wide Course S. W.

28.00 a Lk. 100 " " " S. E.

40.00 Set q. Sec. post, from which
 a Beech 12 in. diam. bear N 82 W 18 lks. dist. &
 a Sugar 36 " " " S 75 E 43 " "

65.50 a Stream 100 lks. wide Course S. W.

80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which
 a W. Oak 24 in. diam. bear N 74 W 15 lks. dist. &
 a Hackberry 10 " " " S 34 E 32 " "

First half mile broken & rolling part bottom - 2^d.
 half same, timber W. Oak, Sugar, Walnut, Ash
 Poplar &c. underg. th pawpaw, Spice &c.

East On Rand^m between Sec. 1 & 12

40.00 Set temp. q. Sec. post

80.25 Intersected the E. boundary 19 lks. S. of post
 Land rolling & broken 2^d. rate, timber Beech
 Sugar, Poplar, W. Oak &c. underg. th Spice &c.

T16 N R5 W, 2^d Mer. Indiana

315

Ch. 1st 1/2

West Corrected between Sec. 1 & 12

40.12 1/2 Set of Sec. post at average dist. from which
a Hackberry 24 in. diam. bears S 78 E 15 lks. dist. of
a Beech 20 " " " N 77 W 28 " "

80.25 to Sec. Corner

North Between Sec. 1 & 2

21.75 a Beech 30 in. diam.

40.00 Set of Sec. post, from which
a Sugar 12 in. diam. bears N 75 W 23 lks. dist. of
a Beech 30 " " " S 35 E 33 " "

69.50 a Sugar 18 " "

84.70 Intersected the N. boundary 17.93 lks. E. of Corner

Set post Cor. to Sec. 1 & 2, from which
a Sugar 12 in. diam. bears S 65 W 19 lks. dist. of
a Beech 6 " " " N 75 E 3 " "

First 1/2 mile rolling good 2^d rate - 2^d half
Same, timber Beech, Sugar, W. Oak, Ash
Poplar &c. underg. th Spruce, Ironwood &c.

North Between Sec. 34 & 35

14.50 a Poplar 20 in. diam.

15.00 a Spring branch N.W.

18.00 a Do. Do. N.W.

33.25 a Do. Do. N.W.

40.00 Set of Sec. post, from which
an Elm 6 in. diam. bears N 59 W 11 lks. dist. of
a W. Walnut 4 " " " East 16 " "

45.60 a Brook 10 lks. wide course N.W.

53.10 a Beech 12 in. diam.

80.00 Set post Corner to Sec. 26, 27, 34 & 35, from which
a Beech 18 in. diam. bears S 75 W 24 lks. dist. of
a Do. 14 " " " N 12 E 20 " "

316.

T6N R5W. 2.^d Mer. Indiana
Ch.² lks. Land rolling 2.^d rate, timber, Beech, Sugar,
Poplar, Oak, underg.th Spice & Dogwood

East On Rand^m. between Sec. 26 & 35

7.60 a Spring branch Course N.E.
40.00 Set temp. gr. Sec. post
80.59 intersected the N & S. line 42 lks. N. of post
Land rolling & broken 2.^d rate, timber Beech,
Poplar, Ash, Oak &c. underg.th Spruce & Dogw.^d

West Corrected between Sec. 26 & 35

40.29 Set gr. Sec. post, at average dist. from which
a W. Oak 15 in. diam. bear N 12 E 12 lks. dist. of
a Spruce 15 " " " N 65 W 20 " "
80.59 to Sec. Corner

North Between Sec. 26 & 27

27.50 a Beech 18 in. diam.
40.00 Set gr. Sec. post, from which
a Beech 30 in. diam. bear S 41 W 22 lks. dist. of
a W. Oak 34 " " " N 69 E 26 " "
43.00 a Stream 50 lks. wide Course S.W.
58.09 a Hickory 14 in. diam.
70.00 enter a Cat-tail Swamp
80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
a Swamp Ash 11 in. diam. bear S 87 W 256 lks. dist.
no other tree convenient
Land 1.st 1/2 mile rolling & broken 2.^d rate -
2.^d 1/2 level, timber, Beech, Oak, Poplar,
Walnut, Hickory &c. Nov. 13th 1819

East On Rand^m. between Sec. 23 & 26

9.50 leave the Cat-tail Swamp

T 16 N. R 5 W. 2^d. Mer. Indiana

ch. 1st lks.

40.00 Set temp. q. Sec. post

69.00 at Brook 10 lks. wide Course S. W.

80.58 Intersected the N. & S. line 43 lks. N. of post
Land 1st 1/2 Mile rolling 2^d. rate - 2^d 1/2 rolling
broken 2^d. rate, timber Beech, Sugar, Oak
ash, Walnut, Hickory &c. underg^d. Spruce &c

West Corrected between Sec. 23 & 26

40.29 Set q. Sec. post at average dist. from which
a W. Walnut 10 in. diam. bears N 58 E 18 lks. dist. of
an Elm 10 " " " S 58 W 14 " "

80.58 to Sec. Corner.

North Between Sec. 22 & 23

4.00 leave the Cat-tail Swamp

9.00 an Indian trail N. E. & S. W.

17.11 a Shellbark Hickory 20 in. diam.

40.00 Set q. Sec. post, from which
a Beech 20 in. diam. bears N 86 W 18 lks. dist. of
a Sugar 12 " " " S 86 E 9 " "

74.00 a Beech 30 " "

80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
a Hickory 8 in. diam. bears S 70 E 1 lks. dist. of
a Do. 9 " " " S 78 W 24 lks. "
Land rolling 2^d. rate, timber Beech, Sugar
Ash, Oak, Poplar, Hickory &c. underg^d. Spruce

East On Rand^m. between Sec. 14 & 23

40.00 Set temp. q. Sec. post

80.30 Intersected the N. & S. line at the post
Land rolling 2^d. rate, timber Beech, Sugar
Ash, Oak, Poplar, Hickory &c.

T6 N R5 W 2ⁿ. Mer. Indiana

Ch. lks.

West Corrected between Sec. 14 & 23

40.15 Set q^r. Sec. post, at average dist. from which
 a B. Ash 12 in. diam. bear S 48 E 18 lks. dist. of
 a Beech 18 " " " N 59 E 25 " "

80.30 to Sec. Corner. Nov. 11th. 1819

North Between Sec. 14 & 15

17.64 a Gum tree 36 in. diam.

40.00 Set q^r. Sec. post, from which
 a Sugar 24 in. diam. bear S 61 W 17 lks. dist. of
 a W. Walnut 6 " " " N 62 E 9 " "

52.64 a Sugar 24 " "

53.00 a stream 100 lks. wide Course S. W.

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
 a Beech 24 in. diam. bear N 75 W 6 lks. dist. of
 a Do. 11 " " " S 23 E 13 " "
 Land 1st 1/2 mile hilly & part level bottom - 2nd 1/2
 mile the same, part 1st & part 3rd rate.
 timber Beech, Oak, Hickory, Ash & Walnut

East On Rand^m. between Sec. 11 & 14

8.50 a stream 100 lks. wide Course S. W.

15.60 a Do. 100 " " " N. W.

40.00 Set temp^y. q^r. Sec. post

80.64 Intersected the N. & S. line 10 lks. S. of post
 Land 1st 1/2 mile hilly, high bluff on the Creek
 2nd 1/2 mile rolling 2nd rate, timber Beech,
 Oak, Poplar &c.

West Corrected between Sec. 11 & 14

40.32 Set q^r. Sec. post at average dist. from which
 a Hickory 12 in. diam. bear S 19 W 18 lks. dist. of
 a W. Oak 36 " " " N 52 E 35 " "

T6 N R5 W 2nd Mer. Indiana

319

ch. 1st lks.

80.64 to Sec. Corner

North Between Sec. 10 & 11

20.70 a P. Ash 30 in. diam.

40.00 Set q^r. Sec. post, from which

a Beech 4 in. diam. bears N 45° W 15 lks. dist. &

a Do. 10 " " " N 45° E 30 " "

71.18 a W. Oak 30 " "

80.00 Set post, Cor. to Sec. 2, 3, 10 & 11, from which

a Sugar 24 in. diam. bears S 30° E 4 lks. dist. &

a Do. 24 " " " N 60° W 27 " "

Land 1st 1/2 mile hilly 3rd rate - 2nd 1/2 mile

rolling 2nd rate, timber Beech, Sugar, Oak

Ash, Poplar, Hickory &c. undgth of all descriptions

East On Rand^m. between Sec. 2 & 11

40.00 Set temp^y. q^r. Sec. post

47.60 a Brook 4 lks. wide Course S. E.

80.74 Intersected the N & S. line 58 lks. S. of post

Land 1st 1/2 mile rolling & broken 2nd rate

2nd half mile hilly, broken 3rd rate, timber

Poplar, Oak, Ash, Hickory &c. undgth of all descriptions

West Corrected between Sec. 2 & 11

40.37 Set q^r. Sec. post at average dist. from which

a Ironwood 5 in. diam. bears N 45° W 7 lks. dist. &

a Do. 4 " " " N 45° E 20 " "

80.74 to Sec. Corner

North Between Sec. 2 & 3

11.65 a Walnut 30 in. diam.

40.00 Set q^r. Sec. post, from which

T6 N R5 W. 2^d. Mer. Indianach. 16th.

a Beech 30 in. diam. bray S 72° W 22 lks. dist. of
a do. 18 " " " S 50° E 30 " "

64.00 a Beech 24 " "

85.65 intersected the N. boundary or line of Correction 16 ch. & 8 links E. of post - Set post Cor. to Sec. 2 & 3, from which

a Beech 12 in. diam. bray S 55° E 26 lks. dist. of
a do. 14 " " " N 74° W 4 " "

Land 1st 1/2 mile rolling 2^d rate - 2^d 1/2 mile level 2^d rate, timber Beech, Oak, Ash, Poplar, Sugar, Hickory W. B. Walnut &c. Undergth Spruce &c. Nov. 12th 1879

North Between Sec. 33 & 34

6.20 a Spring branch S.W.

9.00 a Sugar 12 in. diam.

40.00 Set q. Sec. post, from which

a Sugar 28 in. diam. bray N 64° E 10 lks. dist. of

a Buckeye 10 " " " N 82° W 16 " "

61.80 a Beech 10 " "

65.00 a Creek 100 lks. wide Course West

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which

a Beech 28 in. diam. bray S 37° W 35 lks. dist. of

a do. 24 " " " N 23° E 26 " "

Land 1st 1/2 mile rolling 2^d rate - 2^d 1/2 mile same, timber Beech, Sugar, Oak, Poplar, Hickory, Ash, Walnut Spruce pine &c. undergth Spruce &c.

East On Rand^m. between Sec. 27 & 34

7.00 a Creek 100 lks. wide Course S.W.

40.00 Set temp. q. Sec. post

80.25 intersected the N. & S. line 11 lks. S. of post

321

T6N R5W, 2^d. Mer. Indiana
Ch. M.

Land 1st $\frac{1}{2}$ mile part level & rich & part hilly
and broken - 2nd $\frac{1}{2}$ mile rolling 2^d. rate
timber, Beech, Sugar, Oak, Ash, &c. underg.
of all descriptions.

West Corrected between Sec. 27 & 34

40.12 $\frac{1}{2}$ let g. Sec. post, from which
a Sugar 30 in. diam. - bray N 71 $^{\circ}$ W 29 lks. dist. &
a Beech 12 " " " S 54 $^{\circ}$ E 32 " "

80.25 to Sec. Corner.

North Between Sec. 27 & 28

19.81 a Hickory 9 in. diam.

40.00 let g. Sec. post, from which
a Sugar 9 in. diam. - bray S 88 $^{\circ}$ W 16 lks. dist. &
a Do. 5 " " " S 52 $^{\circ}$ E 38 " "

62.00 an Indian trace

63.50 an Elm 8 in. diam.

80.00 let post Cor. to Sec. 21, 22, 27 & 28, from which
a Sugar 18 in. diam. - bray S 78 $^{\circ}$ E 11 lks. dist. &
a W. Elm 11 " " " S 35 $^{\circ}$ W 18 " "

Land 1st $\frac{1}{2}$ mile rolling & broken 3^d. rate, - 2^d.
 $\frac{1}{2}$ mile same but 2^d. rate, timber Beech
Oak, Poplar, Sugar, underg. Hazel &c.

East On Rand^m. between Sec. 22 & 27

30.50 a Creek 100 lks. wide Course S. E.

40.00 let temp. g. Sec. post

80.00 intersected the N & S. line 54 lks. S. of post
Land rolling good 2^d. rate, timber Beech
Sugar, Poplar, Ash, W. W. Walnut, Hickory &c.
underg. Spruce &c.

T6 N R5 W. 2^d. Mer. Indiana

ch. 1/2 lks.

West Corrected between Sec. 22 & 27

40.00 Set gr. Sec. post at average dist. from which
a Beech 20 in. diam. bear S 76 E 11 lks. dist. of
a do. 8 " " " N 34 W " "

80.00 to Sec. Corner.

North Between Sec. 21 & 22

2.50 a Creek 100 lks. ~~dist~~ wide Course N.E.

18.60 to do 100 lks. wide Course S.W

21.80 a Beech 12 in. diam.

40.00 Set gr. Sec. post, from which
a Sugar 30 in. diam. bear S 86 E 9 lks. dist. of
an Ash 24 " " " S 61 W 14 " "

49.80 a Beech 12 " "

80.00 Set post Cor. to Sec. 15, 16, 21 & 22, from which
a Sugar 10 in. diam. bear S 34 E 13 lks. dist. of
a do. 10 " " " N 64 W 37 " "
Land 1st 1/2 mile level 1st rate; 2nd 1/2 hill 3rd rate
timber Beech, Ash, Oak &c.East On Rand^m between Sec. 15 & 22

39.00 a Stream 100 lks. wide Course S.W.

80.15 Intersected the N & S. line 6 3/4 lks. S. of post
Land 1st 1/2 mile hilly 3rd rate - 2nd 1/2 mile
rolling 2nd rate, timber Beech, Oak, Ash,
Poplar, undery^g Hazel &c

West Corrected between Sec. 15 & 22

40.07 1/2 Set gr. Sec. post at average dist. from which
a Sycamore 5 in. diam. bear N 61 W 8 lks. dist. of
a do. 9 " " " S 35 W 10 " "80.15 to Sec. Corner. Nov. 13th 1819

T16 N - R5 W. 2nd Mer. Indiana

323

ch. lks.
North / Between Sec. 15 & 16

17.06 a W. Oak 30 in. diam.

40.00 Let q^r. Sec. post, from which
a Beech 12 in. diam. bear S47 E 6 lks. dist. of
a Sugar 18 " " " N36 E 5 " "

57.04 a Do 14 " "

80.00 Let post Cor. to Sec 9, 10, 15 & 16, from which
a Beech 16 in. diam. bear S82 E 3 lks. dist. of
a Do 16 " " " N69 W 33 " "

Land 1st 1/2 mile part hill, & part level 2nd rate
2nd 1/2 mile level 2nd rate, timber Beech, Oak
Ash, Poplar, Hickory, Walnut, undg. Spice

East On Rand^m. between Sec. 10 & 15

40.00 Let temp^y. q^r. Sec. post

79.84 Intersected the N & S. line 100 lks. S. of post
Land 1st 1/2 mile level 2nd rate 2nd 1/2 mile
part do. & part rolling, timber Beech, Oak,
Poplar, Sugar, Hickory &c. undergrowth
of all descriptions.

West Corrected between Sec. 10 & 15

39.92 Let q^r. Sec. post at average dist. from which
a Pur Oak 20 in. diam. bear S71 E 23 lks. dist. of
a Sugar 15 " " " N88 W 13 " "

79.84 to Sec. Corner.

North / Between Sec. 9 & 10

27.64 a Beech 16 in. diam.

40.00 Let q^r. Sec. post, from which
a Buckeye 4 in. diam. bear S79 W 18 lks. dist. of
a Hornbeam 11 " " " N15 E 8 " "

58.89 a Beech 14 " "

T6 N R5 W, 2^d. Mer. Indiana

ch. lks.

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
 a Sugar 10 in. diam. beam S 27° W 3 lks. dist. of
 a do. 8 " " " N 56° E 31 " "
 Land level good 2^d. rate, timber Beech, Sugar
 Poplar, Hickory, Walnut &c. undgth. Spruce &c.

East On R Land^m between Sec. 3 & 1040.00 Set q^r. Sec. post temporarily

79.90 Intersected the N & S. line 109 lks. S. of post
 Land level good 2^d. rate, timber Beech,
 Sugar, Poplar, Walnut & Hickory

West Corrected between Sec. 3 & 10

39.95 Set q^r. Sec. post at average dist. from which
 a Beech 8 in. diam. beam N 61° W 4 lks. dist. of
 a do. 20 " " " N 60° E 27 " "
 79.90 to Sec. Corner.

North Between Sec. 3 & 4

10.10 a W. Oak 32 in. diam.

40.00 Set q^r. Sec. post, from which
 a Gum 9 in. diam. beam N 14° W 13 lks. dist. of
 a Sugar 18 " " " S 58° E 14 " "

63.20 a Beech 18 " "

86.65 Intersected the line of Correction 18 ch. &
 62 lks. East of the post. Set post Cor. to Sec.
 3 & 4, from which
 a Sugar 16 in. diam. beam S 41° W 42 lks. dist. of
 a Beech 9 " " " N 62° E 12 " "
 Land level & good 2^d. rate, timber Beech,
 Oak, Poplar, Sugar, Walnut, Hickory &c.
 undgth. Spruce &c. Nov. 14th. 1819

325

T6 N R5 W. 2^d. Mer. Ind.

Ch. Lk.

North Between Sec. 32 & 33

00.00 a Stream 100 Lk. wide Course S. W.

25.30 a Sugar 10 in. diam.

40.00 Set q^r. Sec. post, from which

a Sugar 10 in. diam. bear S 70 W 14 Lk. dist. of
an Iron 10 " " " N 76 W 15 " "

62.00 a Sugar 12 " "

80.00 Set post Cor. to Sec. 28, 29, 32 & 33, from which

a Sugar 20 in. diam. bear N 72 W 7 Lk. dist. of

a Beech 10 " " " N 22 E 30 " "

First 1/2 mile Hilly & broken, 2^d 1/2 rolling 2^d rate
timber Beech, Sugar, W. Oak, Poplar &c.
underg^d. Spice, Ironwood &c.

East On Rand. between Sec. 28 & 33

40.00 Set temp. q^r. Sec. post

56.00 a Brook 10 Lk. wide Course S. E.

79.94 Intersected the N & S. line 50 Lk. N. of post

Land rolling 2^d rate, timber Beech, Sugar
W. Oak &c. underg^d. Spice, Ironwood &c

West Corrected between Sec. 28 & 33

39.97 Set q^r. Sec. post at average dist. from which

a W. Oak 14 in. diam. bear N 61 E 26 Lk. dist. of

a P. Oak 15 " " " N 44 E 36 " "

79.94 to Sec. Corner

North Between Sec. 28 & 29

15.00 an Ash 12 in. diam.

40.00 Set q^r. Sec. post, from which

a Sugar 10 in. diam. bear N 22 W 21 Lk. dist. of

a Do 14 " " " N 41 W 18 " "

54.50 a Sym 15 " "

S 16 N R 5 W. 2^d Mer. Ind^a.
Ch^d. Lk.

56.50 a Springbranch S. W
80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 20 in. diam. bray N 63 W 21 lks. dist. of
a Do. 15 " " " S 34 E 11 " "
1st 1/2 mile level - 2^d 1/2 Same 2^d rate, timber
Beech, Sugar, Poplar, W. Oak &c. undgth Spice &c

East On Rand^m. between Sec. 21 & 28

40.00 Set temp^y. gr. Sec. post
65.00 a Springbranch N. E.
80.25 Intersected the N & S. line 25 lks. N. of post
Land broken 2^d rate, timber Beech, Sugar,
Poplar, W. Oak &c. undgth Spice &c.

West Connected between Sec. 21 & 28

40.12 1/2 Set gr. Sec. post at average dist. from which
a Sugar 12 in. diam. bray N 66 E 24 lks. dist. of
a Lym 9 " " " N 86 E 21 " "
80.25 to Sec. Corner.

North Between Sec. 20 & 21

28.70 a Beech 20 in. diam.
40.00 ~~Set gr. Sec. post~~ ^{a B. Walnut 24 in. diam. cor.} from which
a Sugar 20 in. diam. bray N 65 E 28 lks. dist. of
a B. Walnut 30 " " " S 68 W 50 " "
56.50 a Brook 10 lks. wide Course N. W.
58.80 a Buckeye 12 in. diam.
75.00 a Brook 10 lks. wide Course S. E.
80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 24 in. diam. bray S 75 W 18 lks. dist. of
a Lym 7 " " " S 32 E 20 "
First half mile level 2^d rate - 2^d half Same
2^d rate, timb. Beech, Sugar, W. Oak &c. undgth Spice &c.

S 16 N R 5 W 2^d Mer. Ind.

327

Ch. P. M.

East On Rand^m. between Sec. 16 of 21

40.00 Set temp^y. g^r. Sec. post.

79.36 Intersected the N & S. line ~~from which~~ 100 l^y.
N. of post, Land level 2^d. rate, timber Beech
Sugar, W. Oak &c. underg^d. Spruce &c.

West Corrected between Sec. 16 of 21

39.68 Set g^r. Sec. post at average dist. from which
a Sugar 16 in. diam^t. bear N 66^W 13 l^y. dist. of
a Beech 16 " " " S 50 E 30 " "

79.36 to Section Corner

North Between Sec. 16 of 17

18.50 a Brook 10 l^y. wide Course S. W.

58.00 a Sugar 20 in. diam^t.

40.00 Set g^r. Sec. post, from which
a Beech 10 in. diam^t. bear N E 30 l^y. dist. of
a Beech 12 " " " N 49^W 38 " "

54.80 a Beech 30 in. diam^t.

80.00 Set post Cor. to Sec. 8, 9, 16 of 17, from which
a Beech 20 in. diam^t. bear N 65 E 14 l^y. dist. of
a Poplar 24 " " " N 34^W 21 " "

First 1/2 mile level 2^d. rate - 2^d. 1/2 mile same
timber Beech, Sugar, Poplar &c. underg^d. Spruce &c.

East On Rand^m. between Sec. 9 of 16

40.00 Set temp^y. g^r. Sec. post

79.36 Intersected the N & S. line 100 l^y. N. of post
Land level good 2^d. rate, timber W. Oak, Sugar
Walnut, Ash & underg^d. Spruce &c.

West Corrected between Sec. 9 of 16

39.68 Set g^r. Sec. post at average dist. from which

St. N. R 5 W. 2^d Mer. Indiana
Ch. Lk.

a Sugar 12 in. diam. bear N 49 W 16 Lk. dist. of
a W. Walnut 8 " " " S 30 E 13 " "

79.36 to Sec. Corner.

North Between Sec. 8 & 9

10.00 a Beech 20 in. diam.

40.00 Set of Sec. post, from which

a Beech 10 in. diam. bear N 26 W 44 Lk. dist. of

a Do. 15 " " " S 38 E 33 " "

51.60 a Sugar 18 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which

a Beech 15 in. diam. bear N 36 W 30 Lk. dist. of

a Do. 12 " " " S 49 E 13 " "

First $\frac{1}{2}$ mile level good 2^d rate - 2^d $\frac{1}{2}$ mile
same, timber Beech, Sugar, B. Walnut, Ash &c.
undergrowth Spice &c.

East On Rand^m. between Sec. 4 & 9

40.00 Set temp. of Sec. post

79.42 intersected the N & S. line 110 Lk. N. of post

Land level good 2^d rate, timber Beech,
Sugar, Poplar, W. Walnut &c. underg^t Spice &c.

West Corrected between Sec. 4 & 9

39.71 Set of Sec. post at average dist. from which

a Elm 12 in. diam. bear S 48 E 25 Lk. dist. of

a Beech 13 " " " N 7 W 22 " "

79.42 to Sec. Corner.

North Between between Sec. 4 & 5

12.00 a Sugar 17 in. diam.

40.00 Set of Sec. post, from which

a Sugar 15 in. diam. bear N 65 W 27 Lk. dist. of

W. N. R. S. W. I. Mer. Indiana

329

Ch. P. M.

83.00 a Sugar 12 in. diam. - bray N 45 E 32 lks. dist. of
Intersected the N. boundary 18.62 lks. E. of post
Set post Cor. to Sec. 4 & 5, from which
a Sugar 12 in. diam. - bray N 45 W - lks. dist. of
a Beech 12 " " " N 44 E 30 "
First 1/2 mile level good 2^d. rate - 2^d. half mile
Same, timber W. Oak, Walnut, Sugar, Ash, Poplar
fe. undergth Spruce &c.

North Between Sec. 31 & 32

18.00 a Beech 20 in. diam.

40.00 Set q^r. Sec. post, from which
a Sugar 12 in. diam. - bray S 88 E 14 lks. dist. of
a W. Oak 20 " " " West 1 link "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a Gum 12 in. diam. - bray N 67 W 14 lks. dist. of
a Hickory 12 " " " S 63 E 25 "
Land 1st. 1/2 mile broken 2^d. rate - 2^d. 1/2 mile
the same, timber, Beech, Hickory, Oak, Sugar
fe. undergth Spruce &c.

East On Rand^m. between Sec. 29 & 32

7.20 a Springbranch N.W.

40.00 Set temp^y. q^r. Sec. post

80.86 Intersected the N & S. line 3 lks. N. of post
Land rolling 2^d. rate, timber Beech, Oak,

West Corrected between Sec. 29 & 32

40.43 Set q^r. Sec. post at average dist. from which
a — 11 in. diam. - bray N 39 E 12 lks. dist. of
a Sugar 10 " " " S 59 W 13 " "
80.86 to Sec. Corner.

T6 N R 5 W 2^d Mer. Ind.

Ch. lks

North Between Sec. 29 & 30

2.70 a Spring branch Course W.

11.90 a W. Walnut 12 in. diam.

40.00 Set q. Sec. post, from which

a Sugar 14 in. diam. bear S 35 W 8 lks. dist. of

a Do. 12 " " " N 13 E 30 " "

52.00 a Brook 10 lks. wide Course W.

80.00 Set post Cor. to Sec. 19, 20, 29 & 30, from which

a Sugar 4 in. diam. bear S 26 E 12 lks. dist. of

a Beech 10 " " " N 44 W 26 " "

Land rolling 2^d rate, timber Beech, Oak, Ash,
Walnut &c.East on Rand^m. between Sec. 20 & 29

30.00 a Brook 8 lks. wide Course S. E.

40.00 Set temp. q. Sec. post

61.50 a Stream 30 lks. wide Course S. E.

80.50 Intersected the N & S. line 30 lks. N. of post.

Land rolling 2^d rate, timber Beech, Sugar,
&c. undergth Spruce &c.

West Corrected between Sec. 20 & 29

40.25 Set q. Sec. post at average dist. from which

a Poplar 48 in. diam. bear S 65 W 9 lks. dist. of

a Sugar 12 " " " N 41 E 21 " "

80.50 To Sec. Corner.

North Between Sec. 19 & 20

28.15 a Beech 12 in. diam.

40.00 Set q. Sec. post, from which

a W. Oak 12 in. diam. bear S 78 W 12 lks. dist. of

a Do. 30 " " " N 65 E 8 " "

59.00 a Sugar 24 " "

T6 N - R5 W. 2^d Mer. Indiana

331

Ch. 16₂

80.00 Set post Cor. to Sec. 17, 18, 19 & 20, from which
a Hickory 12 in. diam. beam N 79 W 29 lbs. dist. of
an Ash 36 " " " East 9 " "
Land timber &c. same as on the last mile

East On Rand^m between Sec. 17 & 20

40.00 Set temp. q. Sec. post

80.38 Intersected the N & S. line 41 lbs. ~~dist~~ N. of post
Land rolling 2^d rate, timber Beech, Sugar,
Ash &c. undugst Spruce &c.

West Corrected between Sec. 17 & 20

40.19 Set q. Sec. post, at average dist. from which
a P. Ash 12 in. diam. beam S 2 E 17 lbs. dist. of
a Sugar 10 " " " S 78 E 17 " "

80.38 to Sec. Corner.

North Between Sec. 17 & 18,

17.30 a Hickory 14 in. diam.

40.00 Set q. Sec. post, from which
a Sugar 12 in. diam. beam N 13 E 17 lbs. dist. of
a Do. 12 " " " N 15 E 26 " "

59.50 a Sugar 12 " "

80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
an Ironw. 4 in. diam. beam N 59 W 29 lbs. dist. of
a Sugar 10 " " " N 74 E 29 " "

Land rolling good 2^d rate, timber Beech,
Sugar, Walnuts, Poplar & Ash.

East On Rand^m between Sec. 8 & 17

40.00 Set temp. q. Sec. post

79.91 Intersected the N & S. line 20 lbs. N. of post
Land rolling good 2^d rate, timber

332

Mt. Pleasant Mer. Indiana

Ch. 1st 1/2

Beech, Oak, Ash, Walnut, Poplar &c.

West Corrected between Sec. 8 & 17

39.95 Set gr. Sec. post at average dist. from which
a Beech 10 in. diam. bear N 31° W 16 lks. dist. of
a Sugar 10 " " " S 79° E 17 " "

79.91 to Sec. Corner

North Between Sec. 7 & 8

3.00 a Brook 15 lks. wide Course S. W.

14.80 a Sugar 14 in. diam.

40.00 Set gr. Sec. post, from which
a Sugar 10 in. diam. bear S 64° E 7 lks. dist. of
an Ash 12 " " " S 51° W 13 " "

67.90 a Poplar 24 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
a Beech 30 in. diam. bear N 72° W 30 lks. dist. of
a Sugar 12 " " " S 13° E 13 " "
Land rolling 2nd rate, timber same as
on the last mile

T. N. 16. S. R. N. 5. W. 2nd Mer. Ind.

East
40.00 On a Random line between Sec. 5. & 8. T. 16. S. R. 5. W.
Get a temp. post for the cor. of 1/4 Sec.
79. 84 Intersect the N. & E. line 28. links North of the post cor.
of Sec. 4. 5. 8. & 9.
Land rolling & good 2nd rate Timber Beech. Oak
Walnut. Poplar &c.

West
39. 92 On the true line between Sec. 5. & 8. T. 16. S. R. 5. W.
Get a post for the cor. of 1/4 Sec. at the ar. dist. in the true line
from which a Beech 15 in diam. bears N. 25. E. 19. lks. dist.
and a No 20 " " " S. 64. W. 33. " "
79. 84 To the post cor. of Sec. 5. 6. 7. & 8.

North
26. 50 Between Sec. 5. & 6. T. 16. S. R. 5. W.
To a Sugar 24 in diam. stands in the line
29. 00 " " Beech 15. links wide; course W.
40.00 Get a post for the cor. of 1/4 Sec. from which a
Sugar 24 in diam. bears S. 68. W. 17. links dist. In
Beech 10. " " " S. 66. E. 24. " "
82. 81 Intersect the line of correction 18 3/4. East of the post cor.
of Sec. — Get a post for the cor. of Sec. 5. & 6. from
which a Beech 18 in diam. bears N. 33. E. 42. links dist.
and a No 16. " " " S. 1. W. 3. " "
Land rolling & good 2nd rate Timber Beech Oak
Ash Poplar. Walnut. &c. My Spies &c. Nov. 17th 1819

West
12. 50 Between Sec. 30. & 31. T. 16. S. R. 5. W.
To a W. Oak 24 in diam stands in the line
27. 00 To a Stream 50 links wide course E. & S.
40.00 Get a post for the cor. of 1/4 Sec. from which an
Elm 12 in diam. N. 41. E. 16. links dist. &c.
W. Oak 24. " " bears S. 52. W. 28. links dist.
72. 61 Intersect the West Bound. 60. links South of the post

T. 16. N. R. 5. W. 2nd Mer. Ind.

cor. of Sec. 25. & 36. T. 16. N. R. 6. W. Set a post
for the cor. of Sec. 30 & 31. From which a
Beech 16. in diam. bears N 30 E. 16. links dist. In
W. Oak 24. " " " G. 9. E. 28. " "
Land rolling & broken. Timber. Beech Sugar.
W. Oak &c. W. g. Spruce &c.

West Between Sec. 19. & 30. T. 16. N. R. 5. W.
3. 60 To a Run 4. links wide Course S. W.
25. 10 To a Sugar 20. in diam. stands in the line.
40. 00 Set a post for the cor. of 1/4 Sec. From which a
Sycam 20. in diam. bears S. 84. E. 15. links dist. In
Sugar 24. " " " S. 28. W. 38. " "
72. 38 Intersect the West Boundary 88. links South of the post
cor. of Sec. 24. & 25. T. 16. N. R. 6. W. and set a post
for the cor. of Sec. 19. & 30. From which a
Sugar 24. in diam. bears N. 55. E. 14. links dist. In
Sb 24. " " " S. 26. E. 50 " "
Land level & 2nd rate. Timber. Beech Sugar, B. Ash
Poplar, &c. W. g. Spruce &c.

West Between Sec. 18. & 19. T. 16. N. R. 5. W. 2nd Mer.
11. 50 To a W. Oak 30. in diam. stands in the line
40. 00 Set a post for the cor. of 1/4 Sec. From which a
Sugar 16. in diam. bears S. 35. W. 19. links dist. In
Sb 10. " " " N. 38. E. 4. " "
72. 21 Intersect the West Boundary 93. links South of
the post cor. of Sec. 13. & 24. T. 16. N. R. 6. W. and set a
post for the cor. of Sec. 18. & 19. From which a
Sugar 12. in diam. bears S. 36. E. 25. links dist. In
Sb 10. " " " N. 16. E. 13. " "
Land level & 2nd rate. Timber. W. Oak, Beech Sugar,
Ash, Walnut, Poplar, &c. Undergrowth Spruce &c.

T. N 16. S. R. N 5. W. 2nd Mer. And?

West Between Sec. 7. & 18. T. 16. S. R. N. 5. W.
 11. 00 To a Birch 10. links wide; Course S. W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Birch 18. in diam. bears S. 76. W. 32. links dist. &c.
 Do 16. " " " S. 10. W. 22. " "
 46. 00 To a Birch 18. in diam. stands in the line
 72. 10 Intersect the West Boundary 104. links South of the
 post for the cor. of Sec. 12. & 13. T. 16. S. R. 6. W. and set a
 post for the cor. of Sec. 7. & 18. from which a
 Birch 18. in diam. bears N. 21. E. 19. links dist. &c.
 Cherry 10. " " " S. 49 E. 26. " "
 Land level & 2nd rate. Timber W. Oak, Beech, Sugar
 Elm, Ash, Poplar, &c. Ug. Spice &c.

West Between Sec. 6. & 7. T. 16. S. R. N. 5. W.
 17. 30 To a Buckeye 13 in. diam. stands in the line
 27. 00 To a Brook 15. links wide; Course S. W.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 11. in diam. bears S. 48. W. 20. links. dist. &c.
 Do 20. " " " S. 68. W. 25. " "
 72. 60 Intersect the West Boundary 104. links South of the
 post cor. of Sec. 1. & 12. T. 16. S. R. 6. W. & set a post
 for the cor. of Towns Sec. 6. & 7. from which a
 Hickory 10. in diam. bears S. 66. W. 17. links dist. and a
 Sugar 18. " " " N. 34. E. 37. " "
 Land rolling & good 3rd rate. Timber Beech, Walnut.
 Poplar &c. Ug. Spice Paw-paw &c.

Surveyed by
 John Collett. D. C.

T. N. 16. N. R. N. 5 Off. 2nd Mer. Ind.

I certify that the foregoing Transcript of the Field
notes of Township N. 16. North of Range N. 5. West
of the 2nd Principal Mer. Indiana, has been compared
with the Original notes in this Office and found
to be correct.

Surveyor General's Office

Cincinnati May 26th 1841.

E. S. Haines
Sur. Genl.